







IATONOLIOA. THAT'S WHAT INSPIRES US...

OUR HISTORY

Established in 2006, Nuplas Group is a wholly Australian owned and operated manufacturer.

We pride ourselves in not being tied to a multi-national company, like other counterparts in the market. At the heart of our family owned and operated business, we value transparency and affordability. Hence, our goal is to provide you with good sound advice, quality products and reliable service at a competitive price. We aim to be flexible in accordance with our client's needs and requirements, to ensure excellent professional outcomes.

MISSION & VALUES

Our mission is to be driven by automation and innovation; to face manufacturing challenges head on and remain committed to customer friendship and quality service.

At Nuplas Group we are committed to:

- Maintaining honesty and integrity for our customers, suppliers and employees
- Ensuring a safe working environment and a proactive safety culture
- Maintaining a vibrant, positive, friendly and communicative work ethic
- Being prepared to listen to all customer and employee solutions for the moving forward and prosperity of the company and its staff
- Standing by committals without reserve

Our vision is to manufacture and market plastic products that are financially suited and used by people all over the globe.

NUPLAS GROUP

Nuplas Group has spent the last decade discovering and developing contemporary solutions for the plastics industry.

Thanks to our subsidiaries, Nuplas
Construction Supplies and Nuplas Apiarist
Supplies, our solutions have been utilised in
a myriad of industries, from construction
all the way to apiculture.

With over 30 years' experience in the plastics industry, the principals of Nuplas Group have been on the forefront of product research and development, guided of course, by the ever-changing needs of our clients.



our team

Nuplas Group offers you excellent customer service matched with the expertise and equipment to service all your product requirements.

Our customer focus extends through to all divisions of our company. Our sales, research and development teams work directly with our customers to explore and develop new products for specific projects. Our production team manufactures a quality product efficiently and economically. In addition, our logistics team will always keep you informed on the status of your order.

our promise


- We will offer you excellent customer service
- We will offer you competitive pricing
- We will work in partnership with you to provide answers to your product needs
- We will provide solutions for any budget, need or dream
- We will listen, learn and create products which reflect your philosophy, specifications and your customers' needs
- We will use our expertise, knowledge and skills to provide a product that will give trouble free production
- We will provide you with accurate technical advice
- We will deliver on time, every time

our clients

Ranging from individuals to large corporations, we provide clients across Australia with high quality plastic moulding solutions that meet their specific requirements and budgets.

We see ourselves as an extension of our clients' businesses and strive to work collaboratively with them to deliver premium products at competitive prices, backed by excellent customer service.






rounded picket post caps


A rounded plastic cap used to cover the sharp ends of the star picket posts to minimise injury risk in construction fields, whilst protecting the safety of people working on-site.

Part No.	Description	Ctn Qty	Pallet Gty
CBG60-65YE	Round Yellow Safety Cap	100	11,200

Colour

- Yellow
- ▶ Other colours available upon request.
- Minimum Order quantities apply





Part No.

triangular picket post caps

A triangular plastic cap used to cover the sharp ends of the star picket posts to minimise injury risk in construction fields, whilst protecting the safety of people working on-site.

Holes feature in the design of each cap, enabling other caps and products to be tied to a post.

Description

CSPSC100	Trian	ıgular Ye	ellow S	afety C	ap – Ba	ags 20	30	0	Ľ	12,000	
Colour +	+	+	+	+	+	+	+			+	
▶ Y ellow+ +	+	+	+	+	+	+	+	+	+	+	
Other colours available upon request Minimum Order quantities apply			uest +	+	+	+	+	+			+

Carton Qty Pallet Qty







mindow

Designed and manufactured from a high-quality material, these horseshoe-style packers are used for window and door installations, levelling furniture and cabinetry, spacing tiles and decking.

This product comes in a variety of colours, sizes and thicknesses. All packers have been tested for load bearing and compression. Termite and rot-proof.

Features

- ▶ Colour for easy identification
- Will not shrink
- Will not rot
- Termite proof
- ▶ High compressive strength
- Consistent thickness





+	+	+	+	+	+	+	+	+
+	+	+	+	+	+	+	+	+
+	+	+	+	+	+	+	+	+

Part No.	Size	Thickness	Colour	Bucket Qty	Carton Qty	Pallet Qty
BWP1-50YE	38 x 50mm	1.0mm	Yellow	1,500	6,000	216,000
BWP2-50GR	38 x 50mm	2.0mm	Grey	1,000	4,000	144,000
BWP3-50BR	38 x 50mm	3.0mm	Brown	700	2,800	100,800
BWP15-75WH	38 x 75mm	1.5mm	White	800	3,200	115,200
BWP32-75BL	38 x 75mm	3.2mm	Blue	500	2,000	72,000
BWP50-75RE	38 x 75mm	5.0mm	Red	400	1,600	57,600
BWP64-75GR	38 x 75mm	6.4mm	Green	300	1,200	43,200
BWP10-75BK	38 x 75mm	10.0mm	Black	200	800	28,800
BWP1-90LG	38 x 90mm	1.0mm	L/Green	900	3,600	129,600
BWP16-90NA	38 x 90mm	1.6mm	Natural	650	2,600	93,600
BWP2-90PU	38 x 90mm	2.0mm	Purple	600	2,400	86,400
BWP3-90PI	38 x 90mm	3.0mm	Pink	400	1,600	57,600
BWP5-90OR	38 x 90mm	5.0mm	Orange	250	1,000	36,000
BWP10-90OL	38 x 90mm	10.0mm	Olive	150	600	21,600
BWP1-140LG	38 x 140mm	1.0mm	Green	700	2,800	100,800
BWP2-140PU	38 x 140mm	2.0mm	Purple	300	1,200	43,200
BWP5-1400R	38 x 140mm	5.0mm	Orange	200	800	28,800
BWP10-1400L	38 x 140mm	10.0mm	Olive	100	400	14.400



panel

Designed for levelling and packing objects with a high load mass. Suited for pre-cast concrete panels across construction industries.

This product is available in several colours and thickness. This design is crafted with premium quality materials and features ribs to prevent slippage. All panel shims are certified and meet current Australian standards.

Part No.	Size	Thickness	Colour	Pack Qty	Pallet Qty
PPS01	150 x 100mm	1.0mm	Brown	200	52,800
PPS02	150 × 100mm	2.0mm	Blue	200	32,400
PPS03	150 × 100mm	3.0mm	Green	100	23,100
PPS05	150 × 100mm	5.0mm	Yellow	100	13,200
PPS10	150 × 100mm	10.0mm	Black	40	7,200
PPS15	150 × 100mm	15.0mm	Grey	40	4,680
PPS20	150 x 100mm	20.0mm	White	30	3,510

Size

▶ 150 x 100mm

Test Results

- ▶ All panel shims are certified and meet current Australian standards.
- ► Test results are available upon request.





half panel shims

Designed for levelling and packing objects with a high load mass. Suited for pre-cast panel industry but fit for wider application.

This product is available in several colours and thickness. This design is crafted with premium quality materials and features ribs to prevent slippage. All panel shims are certified and meet current Australian standards.

Part No.	Size	Thickness	Colour	Pack Qty	Pallet Qty
PHPS01	75 x 100mm	1.0mm	Brown	400	105,600
PHPS02	75 x 100mm	2.0mm	Blue	400	64,800
PHPS03	75 x 100mm	3.0mm	Green	200	46,200
PHPS05	75 × 100mm	5.0mm	Yellow	200	26,400
PHPS10	75 x 100mm	10.0mm	Black	80	14,400
PHPS15	75 x 100mm	15.0mm	Grey	80	9,360
PHPS20	75 x 100mm	20.0mm	White	60	7,020


Size

▶ 75 x 100mm

Test Results

- All half shims are tested and meet current Australian standards.
- ▶ Test results are available upon request.





builder's buckets

Primarily created for the builder, handyman or reseller. Each bucket contains a variety of 75mm horseshoe packers in smaller, portable quantities. Termite and rot-proof.

Part No.	Description	Carton Qty	Pallet Qty
BWPBB-250	Builder's Bucket Large	4	144
Contains 50 Each of	f 10mm Black, 6.4mm Green, 5.0mm	Red, 3.2mm Blue & 1.5n	nm White

Features

- Colour for easy identification
- ▶ Will not shrink
- ▶ Will not rot
- Termite proof
- ► High compressive strength
- Consistent thickness





stump packers

Designed for levelling and packing objects with concrete or timber stumps beneath it.

The large slot in the shim allows for any protrusions from the stump to remain unobstructed. Useful for levelling and re-levelling buildings built on stumps.

Part No.	Size	Thickness	Colour	Pack Qty
SP01	90 x 90mm	1.0mm	Brown	200
SP02	90 x 90mm	2.0mm	Blue	200
SP03	90 x 90mm	3.0mm	Green	100
SP05	90 x 90mm	5.0mm	Yellow	100
SP10	90 x 90mm	10.0mm	Black	60
SP15	90 x 90mm	15.0mm	Grey	40
SP20	90 x 90mm	20.0mm	White	30

Size

▶ 90 x 90mm





91055 Setting blocks

Injection-moulded polyethylene solid blocks for the levelling and positioning of glass into aluminium frames.


Each block has a Shore hardness of approximately 80. Suitable for use with all silicones. Size engraved on each block, with five sizes to choose from.

Part No.	Description	Size	Carton Gty
BGSB310	Glass Setting Block	3.0 × 10.0 × 60mm	8,000
BGSB510	Glass Setting Block	5.0 × 10.0 × 60mm	5,000
BGSB1012	Glass Setting Block	10.0 × 12.0 × 60mm	2,800
BGSB1214	Glass Setting Block	12.0 × 14.0 × 60mm	2,000
BGSB730DG	Glass Setting Block	7.0 × 30.0 × 60mm	1,400

Features

- ▶ Consistent sizing for accurate leveling
- ▶ Parts will not break down or deteriorate
- ► Sizing engraved on each part for easy identification
- Ideal for double glazing projects
- Suitable for use with all silicones





idplates

Moulded plate for the identification of precast concrete products.

Material is conducive to permanent markers. Able to be effectively secured to the side wall of boxing, ready for encasement of concrete. Features small ribbed legs.

Part No.	Size	Carton Qty	Pallet Qty
CIDPL	180 × 75mm	70	2,800

Colour

- Yellow
- Other colours available upon request.
- Minimum Order quantities apply









panel mesh chairs

The role of this product is to support holding mesh and reo bars at a specific height prior to concreting in the precast panel industry.

Each component is durable and designed to camouflage with the natural colour of concrete. All are certified and meet current Australian standards.

Part No.	Size	Description	Bag Qty	Pallet Qty
BMC30-40	30/40	To suit panel thickness of up to 100mm	100	50 Bags
BMC50-60	50/60	To suit panel thickness of 100-125mm	100	50 Bags
BMC65-75	65/75	To suit panel thickness of 120-175mm	100	50 Bags
BMC90-100	90/100	To suit panel thickness of up to 200mm	100	50 Bags

Colour

▶ Light Grey









on-slab bar chairs

The role of this product is to support holding mesh and reo bar at a specific height prior to pouring a slab on ground.

Each component is durable and designed with a ring base to bear the weight of mesh without penetrating the ground below.

Part No.	Size	Description	Bag Qty	Pallet Qty
CBC2540-CO	25/40	To suit concrete thickness of 50-80mm	100	48
CBC5065-CO	50/65	To suit concrete thickness of 90-120mm	100	48
CBC7590-CO	75/90	To suit concrete thickness of 130-200mm	100	48
CBC85100-CO	85/100	To suit concrete thickness of 130-250mm	100	48
CBC2540-S	25/40	To suit concrete thickness of 50-80mm	100	48
CBC5065-S	50/65	To suit concrete thickness of 90-120mm	100	48
CBC7590-S	75/90	To suit concrete thickness of 130-200mm	100	48
CBC85100-S	85/100	To suit concrete thickness of 130-250mm	100	48

Colour

Black





Conditions of Sale

Goods supplied by Nuplas Group are supplied upon the following terms and conditions, and not otherwise, and Nuplas Group expressly rejects any conditional sales order placed by the purchaser.

- A contract is formed when Nuplas Group has received an order and either sends the purchaser a written acceptance or dispatches goods pursuant to the order.
- 2. The price is that quoted by Nuplas Group in respect of the particular order and not in any brochure or other product information published. Prices are ex-factory and are subject to GST where applicable. The purchaser shall arrange to bear the cost of delivery, freight and insurance, unless otherwise agreed to by Nuplas Group.
- Dispatch dates will be observed subject to Nuplas Group's ability to effect transport by available means.
- 4. No claims in reference to items covered by any invoice will be recognised unless made in writing within 7 days of delivery.
- 5. Payment is to be made within 30 days following the month in which the invoice is rendered and if not paid as aforesaid Nuplas Group may charge interest at prevailing bank overdraft interest applicable to it commencing at date of invoice.
- 6. Unless presented by statute all implied terms, conditions and warranties are excluded. Nuplas Group is not responsible for the use or misuse of the goods or the installations thereof. The purchaser's remedy for any breach of condition warranty or condition of goods shall be limited at the discretion of Nuplas Group to the replacement of the goods and shall not include any consequential loss or damages in the event of any defect in or failure of goods.
- All goods are supplied subject to retention of title. The goods remain the property of Nuplas Group until complete payment of all claims due to Nuplas Group arising from all business transactions between Nuplas Group and the purchaser. Prior to acting as fiduciary in recovering payment of the goods and segregating such proceeds for the account of Nuplas Group until Nuplas Group is paid in full. The purchaser assigns to Nuplas Group any claims or rights against sub-purchasers in order to enable Nuplas Group to make full recovery of monies owed to it in respect of the goods. In the event of the failure of the purchaser to pay for goods or in the event of the appointment of a receiver and manager, liquidator, agent in possession or execution or distress, Nuplas Group may enter the purchaser's premises or where the goods may be stored or installed and recover them, or appoint an agent in writing to do so and the purchaser acknowledges and guarantees such right of entry during normal business hours. The purchaser shall be required to pay in full any Debt Collection Agency fees, charges and commissions plus real expenses incurred by Nuplas Group for the recovery of any monies outstanding in excess of our
- This sale is governed by law of Victoria. All disputes arising hereunder will be dealt with in the courts of Victoria and
- 9. Nuplas Group does not waive any of its strict legal rights in respect of these conditions or the goods, and shall not be bound by any waiver made by its servants and agents on a particular occasion.
- 10. The purchaser hereby releases, indemnifies and defends Nuplas Group from and against any losses, liabilities, claims suits and costs caused by or arising out of the way in which theo goods are packaged, if the goods and any packages or containers in which they are contained are made in compliance with the purchaser's design or specification.
- 11. Nuplas Group will not be responsible for any delay in or failure of performance of supply of delivery of goods caused by circumstances beyond its control including, but not limited to, strikes, lock-outs, labour disturbances. Act of Government, riot, civil war, commotion, fire, flood, failure of power supply or similar event, and shall not be liable for any consequential loss, damage, expense or claim suffered by the purchaser or any other party as a result of any such event.
- 12. Nuplas Group may in its absolute discretion, accept the return of standard products, (but not special products) to the credit of the purchaser, provided that such products are returned to its factory unused and undamaged before the expiry of 14 days after their delivery to the purchaser and the purchaser agrees to pay a handling and administration charge equal to 10 per cent of the price. No returns of special products will be accepted.
- 13. Acceptance of services and or goods from Nuplas Group is an acceptance by the purchaser of these conditions.
- These conditions will not be varied unless Nuplas Group agrees in writing.

notes

	•••••





2 Westbrook Road, Swan Hill Victoria 3585 Australia **PHONE** +613 5032 9199 **FAX** +613 5032 9399

EMAIL info@nuplasgroup.com.au

web nuplasconstructionsupplies.com.au